

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,23

C/930-

LIBRARY
RECEIVED

☆ MAR 27 1936

HARDY HERBACEOUS PERENNIALS U. S. Department of Agriculture

COLLECTED BY

MID-WEST PERENNIAL COLLECTORS

STANFORD, ILLINOIS

GEO. A. MARTIN, Proprietor

WHOLESALE PRICE LIST—FOR DEALERS ONLY

All plants collected by us are guaranteed true to name. Collected, graded and packed by experienced collector, grader and packer.

The prices we have made are as low as we think should be to be consistent with safe business.

Please state how we shall send items. Most items go by express. Small lots are sometimes cheaper by parcel post. Very heavy lots are cheaper by freight, but if weather is very hot, freight is not safe. In event no instructions are sent we use our best judgment but assume no risk.

Large orders are sent shipping charges C.O.D. Parcel post packages are sent C.O.D.

We advise delaying shipment on plants until ripened, however, if they may be shipped in the growing or blooming stage, where tops must be crated, a small additional charge must be added. This means that mixed orders are usually sent in several installments as they mature. If this is not satisfactory we can usually store earlier ripened stock until others are ready, if requested.

Sudden and severe hot spells, drouths, freezes or floods make some plants entirely disappear, therefore failures are not always the collectors fault.



TERMS

2% Discount for Cash

All orders sent C. O. D. unless otherwise agreed upon. Responsible parties will be given credit of thirty (30) days from date of shipment.

If only one item is wanted, we do not care to sell less than 250 at these prices. Most items may be had in one thousand lots, many in five thousand lots and some in fifty and one hundred thousand lots.

Let us know your needs, and we will quote you promptly.

CHOICE WILD PLANTS COLLECTED FROM THE WILD

| <i>Botanical Name</i> | <i>Common Name</i> | <i>Where It Grows</i> | <i>Color of Flower</i> | <i>Time of Bloom</i> | <i>Each</i> |
|--|--------------------|-----------------------|------------------------|----------------------|-------------|
| <i>Aralia racemosa</i> , Spikenard, Ravines, White, July..... | | | | | \$0.04 |
| <i>Acorus calamus</i> , Sweet Flag, Bogs, Yellow, June..... | | | | | .02 |
| <i>Achillea Millefolium</i> , Yarrow, Sun Sod, White, June, July..... | | | | | .01 1/2 |
| <i>Actaea alba</i> , White, Baneberry, Shade, White, May..... | | | | | .02 1/2 |
| <i>Actaea rubra</i> , Red Baneberry, Shade, White, May and June..... | | | | | .03 1/2 |
| <i>Amorpha canescens</i> , Lead Plant, Sun, Violet, July..... | | | | | .03 |
| <i>Anemone Cylindrica</i> , Thimble Weed, Sun or Shade, White, August..... | | | | | .02 1/2 |
| <i>Anemone Pennsylvanica</i> , White Anemone, Sun, May-July..... | | | | | .02 |
| <i>Anemone thalictroides</i> , Rue Anemone, Woods, White, April-June..... | | | | | .03 |
| <i>Aplectrum hyemale</i> , Putty Root, Shade, Yellow-Purple, June..... | | | | | .07 |
| <i>Aquilegia canadensis</i> , Wild Columbine, Anywhere, Yellow-Red, May-June..... | | | | | .01 1/2 |
| 2 year plants..... | | | | | .03 |
| XX plants | | | | | .06 |
| <i>Arisaema dracontium</i> , Dragon Leaved, Indian Turnip, Shade, Green-Purple, May..... | | | | | .02 |
| <i>Arisaema triphyllum</i> , Indian Turnip, Shade, Green-Purple, May..... | | | | | .02 |
| <i>Aristotochia hastata</i> , Virginia snakeroot, Shade..... | | | | | .04 |
| <i>Artemisia serrata</i> , Dusty Miller, Sun, Greenish, August-October..... | | | | | .02 1/2 |
| <i>Asarum canadense</i> , Wild Ginger, Shade, Violet, April-May..... | | | | | .01 1/2 |
| <i>Asclepias rubra</i> , Red Milkweed, Sun, Red, July..... | | | | | .08 |
| <i>Asclepias incarnata</i> , Swamp Milkweed, Open Flats, Pink-Lilac, July-September..... | | | | | .03 1/2 |
| <i>Asclepias tubrosa</i> , Butterfly Weed, Sun, Yellow-Red, July-September..... | | | | | .05 |
| <i>Asclepias verticillata</i> , Whorled Milkweed, Sun, White, July-August..... | | | | | .02 |
| <i>Aster novae angliae</i> , New England Aster, Sun, Purple, July-September..... | | | | | .02 1/2 |
| <i>Aster sagittifolius</i> , Arrow Lvd. Aster, Sun, Blue, September-October..... | | | | | .02 1/2 |
| <i>Aster cordifolius</i> , Hart Lvd. Aster, Part Shade, Pale Blue, September-October..... | | | | | .02 1/2 |
| Asters, Mixed hardy asters..... | | | | | .02 1/2 |
| <i>Baptisia bractea</i> , Bracted False Indigo, Sun, Yellow, May..... | | | | | .05 |
| <i>Baptisia leucantha</i> , Delicate White False Indigo, Sun, July..... | | | | | .05 |
| <i>Camassia esculenta</i> , Wild Hyacinth, Rich Openshade, Pink, April-May..... | | | | | .04 1/2 |
| <i>Carex plantaginea</i> , Broad Lvd. Carex, Shade, Purple, April-May..... | | | | | .04 1/2 |
| <i>Caulophyllum thalictroides</i> , Blue Cohosh, Shade, White, May..... | | | | | .02 1/2 |
| <i>Chelone glabra</i> , Turtle Head, Damp Place, Pink, August-September..... | | | | | .03 |
| <i>Claytonia Virginica</i> , Spring Beauty, Open Shade, Purple, April-June..... | | | | | .02 1/2 |
| <i>Convallaria Majalis</i> , Lily of the Valley, Part Shade, White, May-June..... | | | | | .05 |
| <i>Delphinium tricornis</i> , Dwarf Larkspur, Sun and Shade, Dark Blue, May-June..... | | | | | .02 1/2 |
| <i>Dicentra canadensis</i> , Squirrel Corn, Shade, Pinkish White, April-May..... | | | | | .02 1/2 |
| <i>Dicentra Cucullaria</i> , Dutchmans Breeches, Shade, White, April-May..... | | | | | .02 1/2 |
| <i>Dodecatheon media</i> , Shooting Star, Sun, Pink, May-June..... | | | | | .03 1/2 |
| <i>Echinacea purpurea</i> , Purple Coneflower, Sun or Part Shade, Purple, June-July..... | | | | | .02 1/2 |
| <i>Echinacea Angustifolia</i> , Coneflower, Prairie, Sun, Purple, June-July..... | | | | | .02 1/2 |
| <i>Equisetum hyemale</i> , Scouring Bush, Sun, Green-Yellow, May-June..... | | | | | .02 1/2 |
| <i>Erigenia bulbosa</i> , Harbinger of Spring, Shade, Pinkish-White, April-May..... | | | | | .02 1/2 |
| <i>Eryngium yaccaefolium</i> , Button Snake Root, Sun, White, July..... | | | | | .02 1/2 |
| <i>Erythronium Albidum</i> , Adders Tongue Violet, Shade, White, April-May..... | | | | | .02 1/2 |
| <i>Erythronium americanum</i> , Adders Tongue Violet, Shade, Yellow, April-May..... | | | | | .03 1/2 |
| <i>Eupatorium coelestinum</i> , Mist-Flower, Sun or Part Shade, Purple, September-October..... | | | | | .03 |
| <i>Eupatorium Ageratoides (urticaefolium)</i> , Snake Root, Open Shade, White, Sept.-Nov.. | | | | | .02 1/2 |
| <i>Eupatorium perfoliatum</i> , Boneset, Wet, Sun, White, July..... | | | | | .03 1/2 |
| <i>Eupatorium purpureum</i> , Joe Pye Weed, Part Shade, Purple, July-September..... | | | | | .03 |
| <i>Euphorbia corollata</i> , Flowering Spurge, Sun, White, July-September..... | | | | | .03 |
| <i>Gentian andrewsii</i> , Closed Gentian, Damp Sun, Blue, August-October..... | | | | | .04 |
| <i>Gentian</i> , Prairie Gentian, opensun, Blue, August-September..... | | | | | .10 |
| <i>Geranium maculatum</i> , Cranes Bill, Anywhere, Pink, May-June..... | | | | | .02 1/2 |
| <i>Helianthus mollis</i> , Hairy Sun Flower, Sun, Yellow, July-September..... | | | | | .03 |
| <i>Hepatica acutiloba</i> (Evergreen), Damp Shade, Pink, April-May— | | | | | |
| 1 to 2 plant clumps..... | | | | | .01 1/2 |
| 3 to 4 plant clumps..... | | | | | .02 3/4 |
| 5 to 6 plant clumps..... | | | | | .04 |
| 7 to 10 plant clumps..... | | | | | .08 |
| <i>Hydrastis canadensis</i> , Golden Seal, Shade, White, May..... | | | | | .04 |
| <i>Hypericum cistifolium</i> , Round Podded St. Johns Wort, Sun, Yellow, July-August..... | | | | | .02 1/2 |
| <i>Iris versicolor</i> , Wild Iris, Sun, Blue, May-June..... | | | | | .02 1/2 |

| <i>Botanical Name</i> | <i>Common Name</i> | <i>Where It Grows</i> | <i>Color of Flower</i> | <i>Time of Bloom</i> | <i>Each</i> |
|--|--------------------|-----------------------|------------------------|----------------------|-------------|
| <i>Isopyrum bitematum</i> , False Rue Anemone, Shade, White, April-May..... | | | | | .02½ |
| <i>Jeffersonia diphylla</i> , Twin Leaf, Deep Shade, White, May-June..... | | | | | .03 |
| <i>Liatris scariosa</i> , Button Blazing Star, Sun, Purple, July-September..... | | | | | .02½ |
| <i>Liatris spicata</i> , Blazing Star, Sun, Purple, July-August..... | | | | | .05 |
| <i>Lithospermum canescens</i> , Hairy Puccoon, Open Sun, Yellow, May-June..... | | | | | .03½ |
| <i>Li Paris liliifolia</i> , Lily Lvd. Liparis, Shade, Purplish, June..... | | | | | .04 |
| <i>Lobelia syphililica</i> , Great Blue Lobelia, Moist Soil, Sun, Blue, July-October..... | | | | | .02½ |
| <i>Medeola virginiana</i> , Indian Cucumber Root, Shade, Greenish-Yellow, Aug.-September. | | | | | .02½ |
| <i>Mentha piperita</i> , Mint, Moist Soil, Sun, White, May..... | | | | | .02½ |
| <i>Mertensia Virginica</i> , Blue Bells, Open Shade, April-June— | | | | | |
| Firsts | | | | | .03 |
| Seconds | | | | | .01½ |
| <i>Mertensia Virginica</i> , Pink, Open Shade, Pink, April-June..... | | | | | .15 |
| <i>Monarda fistulosa</i> , Horse Mint, Sun, Pink, July-September..... | | | | | .02½ |
| <i>Oxalis violacea</i> , Violet Sheep Sorrel, Sun, Violet, May-June..... | | | | | .02½ |
| <i>Pedicularis canadensis</i> , Wood Betony, Sun, Yellow, May..... | | | | | .03 |
| <i>Pentstemon Laevigatus</i> , Smooth Beards Tongue, Sun, White, June-July..... | | | | | .03½ |
| <i>Petalostemum candidum</i> , White Prairie Clover, Sun, July-August..... | | | | | .03 |
| <i>Petalostemum villosum</i> , Purple Prairie Clover, Sun, July-August..... | | | | | .03 |
| <i>Phlox divaricata</i> , Sweet William, Open Shade, Lilac or blue, May-June | | | | | |
| <i>Phlox glaberrima</i> , Wild Pink Phlox, Sun, June-July | | | | | |
| <i>Phlox pilosa</i> , Prairie Phlox, Red, May-June | | | | | |
| Either of above plants of 2 to 4 stems..... | | | | | .02 |
| Either of above plants of 5 to 6 stems..... | | | | | .03 |
| Either of above plants of 6 to 8 stems..... | | | | | .04 |
| Either of above plants of 8 to 10 stems..... | | | | | .06 |
| <i>Physostegia virginiana</i> , False Dragon Head, Sun, Pink, June-August..... | | | | | .03 |
| <i>Podophyllum peltatum</i> , May Apple, Shade, White, May-June..... | | | | | .02 |
| <i>Polemonium reptans</i> , Greek Valerian, Shade, Blue, May..... | | | | | .02½ |
| <i>Polygonatum biflorum</i> , Solomon Seal, Shade, White, May..... | | | | | .02½ |
| <i>Polygonatum giganteum</i> , Giant Solomons Seal, Shade, White, May..... | | | | | .03½ |
| <i>Rudbeckia laciniata</i> , Wild Golden Glow, Part Shade, Yellow, July-August..... | | | | | .02½ |
| <i>Ruella pedunculata</i> , Stalked Ruella, Sun, Purple, June-August..... | | | | | .02½ |
| <i>Sanguinaria canadensis</i> , Blood Root, Shade, White, April-May..... | | | | | .02½ |
| <i>Saponaria officinalis</i> , Bouncing Bet, Sun, Pink, June-October..... | | | | | .02 |
| <i>Scutellaria integrifolia</i> , Skull Cap, Sun or Shade, Blue, July-August..... | | | | | .03½ |
| <i>Silene stellata</i> , Stary Champion, Shade, White, July..... | | | | | .03 |
| <i>Silene virginica</i> , Fire Pink, Shade, Bright Red, May-June..... | | | | | .04 |
| <i>Sisyrinchium angustifolium</i> , Blue Eyed Grass, Sun, Blue, May-June..... | | | | | .02½ |
| <i>Smilacina stellata</i> , Star Flowered Solomons Seal, Shade, White, June-July..... | | | | | .02 |
| <i>Smilacina racemosa</i> , False solomonseal, shade, creamy white, May-June..... | | | | | .02 |
| <i>Solidago canadensis</i> , Canadian Golden Rod, Sun, Yellow, August-October..... | | | | | .02½ |
| <i>Solidago</i> , assorted, Golden Rod, Sun, Yellow, August-October..... | | | | | .02½ |
| <i>Spiraea Filipendula rubra</i> , Queen of the Prairie, Sun, Pink, June-July..... | | | | | .04 |
| <i>Stylophorum diphyllum</i> , Celandine Poppy, Shade, Yellow, May-September..... | | | | | .03 |
| <i>Talictum polygamum</i> , Tall Meadow Rue, Sun, White, June-July..... | | | | | .02½ |
| <i>Tradescantia bracteata</i> , Dwarf Pink Spiderwort, Shade, May-June..... | | | | | .08 |
| <i>Tradescantia Pilosa</i> , Zig Zag Spiderwort, Part Shade, Lilac Blue, June-Sept., singles.. | | | | | .03 |
| <i>Tradescantia virginica</i> , Spiderwort, Part Shade, Purple, May-August, | | | | | |
| Single | | | | | .02 |
| Small clumps | | | | | .02½ |
| <i>Tradescantia virginica</i> , Nina Dwarf Spiderwort, Sun or Shade, Blue, May-June, | | | | | |
| Singles | | | | | .02½ |
| <i>Trillium Nivale</i> , Dwarf White Trillium, Shade, April..... | | | | | .03 |
| <i>Trillium recurvatum</i> , Brown Trillium, Shade, May-June..... | | | | | .02½ |
| <i>Uvularia perfoliata</i> , Bellwort, Rich Shade, Yellow, May-June..... | | | | | .02½ |
| <i>Verbena hastata</i> , Blue Verbane, Sun, Purple, July-September..... | | | | | .02 |
| <i>Vernonia altissima</i> , Iron Weed, Sun, Violet, August-October..... | | | | | .03 |
| <i>Veronica Virginica</i> , Clovers Root, Sun or Shade, White, July-August..... | | | | | .02½ |
| <i>Viola blanda</i> , White Violet, Part Shade, May-June..... | | | | | .03 |
| <i>Viola palmata</i> , Palm Leaved Violet, Sun, Blue, May-June..... | | | | | .03 |
| <i>Viola Papilionacea</i> , Common Blue Violet, Sun, May-June..... | | | | | .02 |

| <i>Botanical Name</i> | <i>Common Name</i> | <i>Where It Grows</i> | <i>Color of Flower</i> | <i>Time of Bloom</i> | <i>Each</i> |
|--|--------------------|-----------------------|------------------------|----------------------|-------------|
| <i>Viola pedata</i> , Birds Foot Violet, | | Sun, Blue, May-June | | | |
| Single | | | | | .02 1/2 |
| <i>Viola Pedata Bicola</i> , Two Colored Birds Foot Violets, | | Part Shade. | | | .04 |
| <i>Viola pubescens</i> , Yellow Violet, Sun or Shade, Yellow, May. | | | | | .02 1/2 |
| <i>Viola pallens</i> , Sweet White Violet, Sun, May. | | | | | .02 |

FERNS

| | |
|---|---------|
| <i>Adiantum pedatum</i> , Maiden Hair, Damp Shade, Light Sods. | .02 |
| Medium sods | .02 1/2 |
| Heavy sods | .04 |
| <i>Aspidium acrostichoides</i> , Christmas (Evergreen), Shade. | .02 1/2 |
| <i>Aspidium thelypteris</i> , Marsh Fern, Rich Shade. | .03 |
| <i>Asplenium Thelypteroides</i> , Silvery Spleenwort, Damp Shade. | .03 |
| <i>Asplenium augustifolium</i> , Narrow Leaved Spleenwort, Shade. | .03 |
| <i>Asplenium Felix-foemina</i> , Lady Fern, Shade. | .04 |
| <i>Bolrychium Virginianum</i> , Virgina Grape Fern, Shade. | .02 1/2 |
| <i>Cystoperis fragilis</i> , Fragile Bladder Fern, Moist Shade. | .01 1/2 |
| <i>Onoclea sensibilis</i> , Sensitive Fern, Moist Shade. | .02 1/2 |
| <i>Pteris Aquilina</i> , Brake, Eagle Fern, Part Shade. | .04 |
| <i>Phegopteris hexagonoptera</i> , Broad Beech Fern, Shade. | .02 1/2 |

VINES

| | |
|--|---------|
| <i>Humulus lupulus</i> , Hop Vine, Sun, Yellow, July. | .02 1/2 |
| <i>Ipomoea pandurata</i> , "Man of the Earth," Sun, Purple, July-August. | .15 |
| <i>Menispermum canadense</i> , Wild Sarsaparilla, Sun, White, May. | .03 |
| <i>Mitchella repens</i> , Partridge Berry, Shade, White, April-May. | .03 |
| <i>Nepeta hederacea</i> , Ground Ivy, Shade, Purple, May-June. | .02 |
| <i>Smilax herbacea</i> , Carrion Flower, Part Shade, White, Black Berries. | .03 |
| <i>Vinca Minor</i> , Ground Myrtle, Part Shade, Blue, May-June. | .02 1/2 |

NOTICE

If just a few items are wanted in 50 and 100 lots, add .02c each to Our prices. If You buy in large lots, please give Us Your want list to figure on early, if this is done while the collecting of plants can be done with the least possible cost, We can give You better prices on some of the items that We list.

CLAIMS

Claims for any cause must be made on receipt of goods. Shipments travel at cost and risk of purchaser. Prompt and careful service awaiting Your command. We have enlarged Our collecting force and will be able to serve You better than in the past.

Entrust Your orders for plants of the Midwest to Our experience and You will receive plants that will please You and Your Customers.